Figure 1

Figure 2

65

35

60

40a

40b

40c

50a

50b

50c

45a

45b

45c

Figure 3a

Figure 3b

Figure 4

Welcome to Citibank

Account 1234567890

Password [ ]

Login   Cancel

Figure 5b

```
<html>
<head>
</head>
<body>
<form name=Form1 method=post
          action="Default.asp">

Welcome to Citibank<br>
Account
<input type=text name= LoginId size=10
          value="1234567890">

<br>
Password
<input type=password name=pswd size=10>
<br>
<input type=submit name=cmdSubmit
          value="Login">
<input type=submit name=cmdSubmit
          value="Cancel">

</form>
</body>
</html>
```

Figure 5a

```
<mobile>
<html>
<head>
</head>
<body>
<form name=Form1 method=post action="Default.asp"
    <card>
        Welcome to Citibank<br>
        Account
        <input name="LoginId" type="text" value="1234567890"
                format="*N"/>
        <br>
    </card>
    <card>
        Password
        <input name="pswd" type="password"/>
        <br>
    </card>
    <card>
        <input name="cmdSubmit" type="submit" value="Login">
        <input name="cmdSubmit" type="submit" value="Cancel">
    </card>
</form>
</body>
</html>
</mobile>
```

Figure 6a

```
<html>
<head>
</head>
<body>
<form method="post" action="www.CitiMobile.com/ChtmlHome.asp?CrtSt=aaabbb">
Welcome to Citibank<br>
Account
<input type=text name=LoginId value="1234567890">
<br>
Password
<input type=password name=pswd>
<br>
<input type=submit name=cmdSubmit value="Login">
<input type=submit name=cmdSubmit value="Cancel">
</form>
</body>
</html>
```

Figure 6b

```
<mobile>
<html>
<head>
</head>
<body>
<form name=Form1 method=post action="Default.asp">
<card>
    Welcome to Citibank<br>
    Account
    <input name="LoginId" type="text" value="1234567890"
        format="*N"/>
    <br>
</card>
<card>
    Password
    <input name="pswd" type="password"/>
    <br>
</card>
<card>
    <input name="cmdSubmit" type="submit" value="Login">
    <input name="cmdSubmit" type="submit" value="Cancel"/>
</card>
</form>
</body>
</html>
</mobile>
```

Figure 7a

```
<%Response.ContentType="text/x-hdml"%>
<hdml Version=3.0 ttl=0 markable=false>
<Entry name=c01 key=LoginId Format="*N" default="1234567890">
<action type=accept task=go dest="#c02">
Welcome to Citibank<BR>
Account
</Entry>
<Entry name=c02 key=pswd Format="*N"  NOECHO=true default="">
    <action type=accept  task=go   dest="#c98">
    Password
</Entry>
<choice name=c98  key=cmdSubmit>
<ce value="Login" task=go DEST=#c99>Login
<ce value="Cancel" task=go DEST=#c99>Cancel
</choice>
<nodisplay name=c99>
<action type=accept task=go
    method=post dest="wwww.CitiMobile.com/HdmlHome.asp?CrtSt=aaabbb"
    postdata="LoginId=$(LoginId)&pswd=$(pswd)&cmdSubmit=$(cmdSubmit)">
</nodisplay>
</hdml>
```

Figure 7b

```
<mobile>
<html>
<head>
</head>
<body>
<form name=Form1 method=post action="Default.asp">
<card>
    Welcome to Citibank<br>
    Account
    <input name="LoginId" type="text" value="1234567890"
           format="*N"/>
    <br>
</card>
<card>
    Password
    <input name="pswd" type="password"/>
    <br>
</card>
<card>
    <input name="cmdSubmit" type="submit" value="Login"/>
    <input name="cmdSubmit" type="submit" value="Cancel"/>
</card>
</form>
</body>
</html>
</mobile>
```

Figure 8a

```
<%Response.ContentType="text/vnd.wap.wml"%>
<?xml version="1.0"?>
<!DOCTYPE wml PUBLIC "-//WAPFORUM//DTD WML 1.1//EN"
    "http://www.wapforum.org/DTD/wml_1.1.xml">
<wml>
<card id="c01">
<do type="accept"><go href="#c02"/></do>
<p>
Welcome to Citibank<BR>
Account
<input name="LoginId" format="*N" value="1234567890"/>
</p>
</card>
<card id="c02">
    <do type="accept"><go href="#c98"/></do>
<p>
Password
<input name="pswd" type="password"/>
</p>
</card>
<card id="c98">
<do type="accept"><go href="#c99"/></do>
<p>
<select name="cmdSubmit">
    <option value="Login">Login</option>
    <option value="Cancel">Cancel</option>
</select>
</p>
</card>
<card id="c99">
<onevent type="onenterforward">
    <go method="post"
        href="www.CitiMobile.com/WapHome.asp?CrtSt=aaabbb">
    <postfield name="LoginId" value="$(LoginId)"/>
    <postfield name="pswd" value="$(pswd)"/>
    <postfield name="cmdSubmit" value="$(cmdSubmit)"/>
    </go>
</onevent>
</card>
</wml>
```

Figure 8b

```
<mobile>
<html>
<head>
</head>
<body>
<form name=Form1 method=post action="Default.asp">
<card>
    Welcome to Citibank<br>
    Account
    <input name="LoginId" type="text" value="1234567890"
           format="*N"/>
    <br>
</card>
<card>
    Password
    <input name="pswd" type="password"/>
    <br>
</card>
<card>
    <input name="cmdSubmit" type="submit" value="Login">
    <input name="cmdSubmit" type="submit" value="Cancel"/>
</card>
</form>
</body>
</html>
</mobile>
```

Figure 9a

```
<html>
<head>
</head>
<body>
<form method="post" action="www.CitiMobile.com/ChtmlHome.asp?CrtSt=aaabbb">
Welcome to Citibank<br>
Account
<input type=text name=LoginId value="1234567890">
<br>
Password
<input type=password name=pswd>
<br>
<input type=submit name=cmdSubmit value="Login">
<input type=submit name=cmdSubmit value="Cancel">
</form>
</body>
</html>
```

Figure 9b

Figure 10

Figure 11

Figure 12